


**King County
International Airport**
Department of Public Works
P.O. Box 80245
Seattle, Washington 98108
(206) 296-7380

COPY

June 6, 1990

Mr. Gary Farr
Property Management
Seattle City Light
1015 Third Avenue
Seattle, Washington 98104

RECEIVED
JUN 07 1990
PROPERTY MANAGEMENT

Dear Mr. Farr:

Recently, amounts of construction debris have been dumped on the site of the Georgetown Steam Plant located at the northwest corner of Boeing Field.

Subsequently, weeds and vegetation have grown from this debris and this situation has become a haven for birds (primarily starlings).

For obvious reasons, the Airport expends a lot of time and effort to remove and/or control bird habitats wherein large swarms of birds could inflict damage to aircraft and possible injury to persons. Bird control on and around Boeing Field is a requirement of the Federal Air Regulations (Part 139) enforced by the Federal Aviation Administration.

Therefore, I would like to solicit City Light's cooperation in removing the debris and vegetation from the Georgetown Steam Plant site and, further, maintain the vegetation at a level so as to not create a bird nesting habitat.

Thank you for your cooperation and prompt response to my request. Should you have any questions, please feel free to contact this office (296-7380).

Very truly yours,

KING COUNTY INTERNATIONAL AIRPORT


Donald W. Smith
Airport Manager

DWS/ft

KCSlip4 34836

SEA401383